

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	158	361/50.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:59
S1	2	"6738241".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 16:59
S3	23	("6292337" "6266219" "6229679" "6198611" "6084207" "6014297" "5963406" "5963405" "5889643" "5757598" "5691869" "54207405185686" "4931894" "4858054" "4370692" "4219857" "5402298" "5166853" "4709293" "4105169" "4194231" "4378579" "4598331" "5177657").pn.	USPAT	OR	OFF	2006/01/19 15:57
S4	0	10/783966	USPAT	OR	OFF	2006/01/17 13:59
S5	3	10/783966	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:06
S6	578	power same breaker same (relay switch) same ground adj fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:17
S7	28	S6 same coil same (SCR silicon adj controlled adj rectifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 10:37
S8	578	power same breaker same (relay switch) same ground adj fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:48

S9	4	S8 same coil same (SCR silicon adj controlled adj rectifier) same AC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:51
S10	1897	(SCR silicon adj controlled adj rectifier) with polarit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:52
S11	227	first with second with (SCR silicon adj controlled adj rectifier) with polarit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 15:52
S12	1	first with second with (SCR silicon adj controlled adj rectifier) with polarit\$4 and ground adj fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:22
S13	25	("3906477" "3991366" "4034360").PN. OR ("4438403").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 15:54
S14	3	second with (SCR silicon adj controlled adj rectifier) with polarit\$4 and ground adj fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:24
S15	25	second with (SCR silicon adj controlled adj rectifier) with polarit\$4 and arc	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:30
S16	0	line and neutral and dual near 3scr and shunt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:31
S17	4	line and neutral and dual near3 scr and shunt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:32

S18	586	line and neutral and scr and shunt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:32
S19	325	line and neutral and scr and shunt and (relay solenoid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:32
S20	233	line and neutral and scr and shunt and (relay solenoid) and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:32
S21	165	line and neutral and scr and shunt and (relay solenoid) and coil and capacitor and resistor and diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 16:33
S22	6	("4270158" "5166853").PN. OR ("5402298").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 17:00
S23	22	aromin.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/17 17:00
S24	23	("3350607" "3525921" "3781608").PN. OR ("3997818"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 09:27
S25	4779	metal adj sheath	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 09:27
S26	9	metal adj sheath and relay and coil and scr	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 09:27
S27	1	("5479341").PN. OR ("6829123"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 09:31
S28	46	("6292337" "6266219" "6229679" "6198611" "6084207" "6014297" "5963406" "5963405" "5889643" "5757598" "5691869" "54207405185686" "4931894" "4858054" "4370692" "4219857" "5402298" "5166853" "4709293" "4105169" "4194231" "4378579" "4598331" "5177657").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 09:37

S29	2	"5402298".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 09:37
S30	2	"3997818".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 10:38
S31	2	"4438403".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 10:53
S32	8	scr with transistor with capacitor with trip\$4 with resistor with diode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:15
S33	2	"5402298".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:06
S34	2	"4931894".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:07
S35	2	"3997818".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:07
S36	2	"5661623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:07

S37	4	"4209817".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 13:15
S38	23	("3350607" "3525921" "3781608").PN. OR ("3997818"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 15:10
S39	0	legati.in. and sheath	USPAT	OR	OFF	2006/01/18 15:33
S40	7	legatti.in. and sheath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:51
S41	26842	ac same second adj scr coil same trip\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:52
S42	29320	ac same second adj scr coil same trip\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:52
S43	1	ac same second adj scr same coil same trip\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:57
S44	12	("3610957" "4630166" "4694206" "4977482" "5045969" "5486972" "5537029" "5544089" "5548527" "5555508" "5621629" "5631843").PN. OR ("5835331").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 16:57
S45	1	ac same first adj scr same coil same trip\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:58
S46	1	ac same first adj scr same (coil relay) same trip\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:58

S47	2	ac same first adj scr same trip\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:59
S48	13	ac same first adj scr same coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:19
S49	20	("3453450" "3821671" "4158150" "4281359" "4309683" "4470092" "4630166" "4706158" "4745311" "4833565" "4864457" "4890184").PN. OR ("5486972").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/18 17:02
S50	33	back adj back adj scr\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:20
S51	10	back adj back adj scr\$1 and (arc fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 17:20
S52	51	ac and scr and arc and fault and relay and coil and neutral and power and trip	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:48
S53	0	arc adj fault and three adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:48
S54	72	arc adj fault and three adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:51

S55	10	S54 and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:49
S56	135	arc\$3 adj fault and three adj phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:51
S57	13	arc\$3 adj fault and three adj phase and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:52
S58	9	arc\$3 adj fault and three\$phase and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
S59	0	arc\$3 adj fault and 3\$phase and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
S60	100	arc\$3 adj fault and phase and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
S61	181	arc\$3 adj fault and line and neutral and ground and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:53
S62	3	arc\$3 adj fault and line and neutral and ground and scr and sheath	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:54

S63	14	arc\$3 adj fault and line and neutral and ground and (second next other) near3 scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:13
S64	17	arc\$3 adj fault and (second other next) near3 scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:25
S65	19	("4822983" "5208542" "5224006" "5510946" "5691869" "5706154" "5805397" "5815352" "5818671" "5889643" "5940256" "5963405" "5966281" "5982593" "6014297" "6057997" "6198611" "6259996").PN. OR ("6532140"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 10:22
S66	100	arc\$3 adj fault and scr and phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:32
S67	1	arc\$3 adj fault and two near scr\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:34
S68	219	arc\$3 adj fault and scr\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:34
S69	134	arc\$3 adj fault and scr\$1 and ac	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:49
S70	0	metal adj sheath and ard adj fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:49

S71	3	metal adj sheath and arc adj fault	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:50
S72	27	361/46.ccls. and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:06
S73	28	361/46.ccls. and scr\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:16
S74	22	("4015169" "4194231" "4378579" "4598331" "4709293" "5166853" "5177657" "5185686" "5402298" "5420740" "5691869" "5757598" "5889643" "5963405" "5963406" "6014297" "6084207" "6107611" "6198611" "6229679" "6266219" "6292337").PN. OR ("6738241").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 11:06
S75	155	361/45.ccls. and scr\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:16
S76	1901	(dual two second plural) adj scr\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:17
S77	9	(dual two second plural) adj scr\$1 and arc adj (fault supres\$4 detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:27
S78	0	323/910.ccls	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:27

S79	37	323/910.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:32
S80	117	361/100.ccls. and scr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:32
S81	46	("2046748" "2566260" "2686290" "3461378" "3501677" "3683237").PN. OR ("3932791"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 11:50
S82	100	three adj line\$3 and neutral and ground and scr	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 11:58
S83	107	three adj line\$3 and neutral and ground and scr\$1	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 11:59
S84	14	("3798540" "3810003" "3952244" "4082995").PN. OR ("4929887").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 12:16
S85	1	"5625285".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 12:16
S86	27	("3774106" "3863238" "3904958" "3984765" "3996496" "4082995" "4127807" "4164701" "4164702" "4394615" "4929887" "5051732" "5099212" "5285163" "5367250").PN. OR ("5625285"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 12:29
S87	23	("2806993" "2858507" "3141128" "3277364" "3525038" "3611133" "3643157" "3648163").PN. OR ("3798540"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 13:22
S88	41	361/50.ccls. and (scr silicon adj controlled)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 13:23
S89	21	("3277407" "3493815" "3558988" "3813579" "4001647" "4270158" "4282500" "4412193" "4464582" "4568997" "4589047" "4595894" "4751603").PN. OR ("4823225"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 13:38

S90	155	arc and scr and diode adj bridge	USPAT	OR	OFF	2006/01/19 15:57
S91	33	arc and scr and diode adj bridge and fault	USPAT	OR	OFF	2006/01/19 16:00
S92	16	("4279007" "4428019" "4513268" "4589050" "4641217" "4667263" "4698655" "4786885" "4853819" "5510945" "5818671" "5835322" "5889643" "5963406" "6141197" "6381113").PN. OR ("6961226").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/19 15:58
S93	8	arc and scr and indicator and led with diode with resistor and fault	USPAT	OR	OFF	2006/01/19 16:02
S94	3	arc and scr and indicator with led with diode with resistor and fault	USPAT	OR	OFF	2006/01/19 16:05
S95	112	resistor with series with led with diode with parallel	USPAT	OR	OFF	2006/01/19 16:05
S96	14	resistor with series with led with diode with parallel and scr	USPAT	OR	OFF	2006/01/19 16:40
S97	1	"5963406".pn.	USPAT	OR	OFF	2006/01/19 16:40